I hereby certify that this document and the data contained herein were prepared by me or under my direct supervision.

Steven J. Thompson 4-16-25
Date

Registration No. 22705

☒ Land Surveyor, ☐ Professional Engineer
☐ County Surveyor, ☐ County Engineer

MOWER COUNTY COORDINATES
NAD 83 (96) HARN
Northing=N133023.86 Latitude=N043°35'12.760064"
Easting=E743973.09 Longitude=W093 01'45.304343"

A687783

Office of the County Recorder
Mower County, Minnesota

I HEREBY CERTIFY THE WITHIN INSTRUMENT WAS FILED, AND/OR RECORDED ON 5/20/2025 8:44 AM

PACKAGE: 108345 **REC FEE: $0.00**

Sara Madison, Mower County Recorder

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

SW Corner of Section **32**, Township **102N** Range **18W**, **5th** P.M.

STATE OF MINNESOTA, County of MOWER


At the corner location shown on the sketch

☐ On **2/10/2025** (DATE) found a **CAST IRON MONUMENT**

☒ left monument as found, ☐ lowered monument, ☐ removed monument (explain)

☐ On _____ (DATE) placed a _____

SKETCH OF REFERENCE TIES



NOT TO SCALE

JONES, HAUGH & SMITH INC
Civil Engineers & Land Surveyors
Albert Lea, Minnesota

Statement of evidence relative to this corner location is on back of page.

STATEMENT OF EVIDENCE

SW Corner Section 32-T102N-R18W

This corner was established by Deputy Surveyor J.B. Reyman in May-July, 1854. The government notes show a wood post was set and mound with trench and pits per instructions.

1993 Jones, Haugh & Smith crew dug with county backhoe a 3' x 10' x 5' deep hole on centerline E-W road inline with field division south. Found a 3" x 3" x 30" iron bar with pointed end at a depth of 3'. Pulled iron and continued digging to clay and found no further evidence. Bar found was on centerline of road and inline with field division south. Accepted monument as the perpetuation of the original PLS corner and reset in location found. Set a cast iron monument above monument and near road surface.

February 10, 2025: Jones, Haugh, & Smith crew recovered cast iron monument. Checked existing ties and left cast iron monument in place.

For electronic survey data and analysis, contact the firm of Jones, Haugh and Smith Inc.


MONUMENT


EAST


NORTH