I hereby certify that this document and the data contained herein were prepared by me or under my direct supervision.

4-16-25

Steven J. Thompson — Date

Registration No. 22705

☒ Land Surveyor, ☐ Professional Engineer
☐ County Surveyor, ☐ County Engineer

MOWER COUNTY COORDINATES
NAD 83 (96) HARN

Northing=143507.51 Latitude=N43°36'56.875177"
Easting=738535.06 Longitude=W93°02'57.634984"

**A687772**

**Office of the County Recorder**
**Mower County, Minnesota**

**I HEREBY CERTIFY THE WITHIN INSTRUMENT WAS FILED, AND/OR RECORDED ON 5/20/2025 8:36 AM**

**PACKAGE: 108344** **REC FEE: $0.00**

Sara Madison, Mower County Recorder

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

**SW** Corner of Section **19**, Township **102N** Range **18W**, **5th** P.M.

**STATE OF MINNESOTA, County of MOWER**


**At the corner location shown on the sketch**

☐ On **02/10/2025** (DATE) found a **CAST IRON MONUMENT**

☒ left monument as found, ☐ lowered monument, ☐ removed monument (explain)

☐ On _____ (DATE) placed a _____

## SKETCH OF REFERENCE TIES




NOT TO SCALE

**JONES, HAUGH & SMITH INC**
Civil Engineers & Land Surveyors
Albert Lea, Minnesota

Statement of evidence relative to this corner location is on back of page.

## STATEMENT OF EVIDENCE

SW1/4 Corner Section 19-T102N-R18W

This corner was established by Deputy Surveyor J.B. Reyman in May-July, 1854. The government notes show a wood post was set and mound with trench and pits per instructions.

September 27, 1995: Jones, Haugh & Smith crew dug with Freeborn County backhoe 4' x12' x 3.5' deep on centerline N-S of township road and in line with field division E-W and found no evidence of Public Land Survey Corner.

Set 5/8" x 16" iron with Cast Iron Monument 4" below road surface using Government distance and proportion distance between NE corner Sec. 24-102-19 & SE corner Sec. 25-102-19 on a straight line between E1/4 corner Sec. 13-102-19 & SE corner 25-102-19.

February 10, 2025: Jones, Haugh, & Smith crew recovered a Cast Iron Monument that was set in September 1995. Checked ties and left Cast Iron Monument in place.

For electronic survey data and analysis, contact the firm of Jones, Haugh and Smith Inc.


MONUMENT


EAST


NORTH