I hereby certify that this document and the data contained herein were prepared by me or under my direct supervision.

Steven J. Thompson 7-29-25 Date

Registration No. 22705

☒ Land Surveyor, ☐ Professional Engineer
☐ County Surveyor, ☐ County Engineer

MOWER COUNTY COORDINATES
NAD 83 (96) HARN
Northing=N164645.90 Latitude=N043°40'25.635882"
Easting=E738336.25 Longitude=W093°02'57.217351"

**A689090**

**Office of the County Recorder**
**Mower County, Minnesota**

**I HEREBY CERTIFY THE WITHIN INSTRUMENT WAS FILED, AND/OR RECORDED ON 8/13/2025 8:16 AM**

**PACKAGE: 110305** **REC FEE: $0.00**

Sara Madison, Mower County Recorder

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

**NW Corner of Section 6, Township 102N Range 18W, 5th P.M.**

**STATE OF MINNESOTA, County of MOWER**


**At the corner location shown on the sketch**

☐ On **4/3/2025** (DATE) found **NOTHING**

☐ left monument as found, ☐ lowered monument, ☐ removed monument (explain)

☐ On **4/3/2025** (DATE) placed a **5/8" rebar & yellow cap stamped 22705**

## SKETCH OF REFERENCE TIES




NOT TO SCALE

**JONES, HAUGH & SMITH INC**
Civil Engineers & Land Surveyors
Albert Lea, Minnesota

Statement of evidence relative to this corner location is on back of page.

## STATEMENT OF EVIDENCE

NW Corner Section 6-T102N-R18W

This corner was originally established by Deputy Surveyor William I. Anderson of the U.S. General Land Office in 1854. The government notes show a wood post was set with mound of earth and trench.

The following were contacted for section corner information.

Mower County Highway Dept.
Mower County Recorder
Zenk Engineering
Tucker Land Surveying

No record of this corner was obtained from the above mentioned offices.

1995 Jones Haugh and Smith crew, under direction of John Schulte, Mower County Surveyor RLS 13807, located corner in agreement with Jones, Haugh and Smith Freeborn County Records.

The monument fits occupation and road centerlines within the section and is accepted as best evidence of a perpetuation of the original public land survey corner.

April 3, 2025: Jones, Haugh, & Smith crew searched at corner location and found nothing. Set 5/8" rebar & yellow cap stamped 22705 using dimensions from previous surveys.

For electronic survey data and analysis, contact the firm of Jones, Haugh and Smith Inc.


MONUMENT


EAST


NORTH