Index No. _____

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

W1/4 Corner of Section 30, Township 104N, Range 18W, 5th P.M.

STATE OF MINNESOTA, County of MOWER


At the corner location shown on the sketch:

☐ On 9-17-90 (DATE) found a no evidence

☐ left monument as found, ☐ lowered monument, ☐ removed monument (explain)

☐ On 9-17-90 (DATE) placed a cast iron monument on straight line between NE&SE corners in line with fence to East.

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

_____ (SIGNATURE) 7-30-91 (DATE)

Registration No. 13807

☑ Land Surveyor, ☐ Professional Engineer

☐ County Surveyor, ☐ County Engineer

OFFICE OF THE COUNTY RECORDER

County of _____

I hereby certify that this document was filed in the County Rec. office at _____ .M. on the _____ day of _____ A.D., 19__

COUNTY RECORDER _____

By _____, Deputy

DOCUMENT NO. _____

M.H.D. FORM NO. 2105

STATEMENT OF EVIDENCE

W 1/4 corner Sec. 30-104-18

This corner was originally established by Deputy Surveyor J.B. Reymen of the U.S. General Land Survey Office in 1854. The government notes show this corner was marked with a wood post. The following ties were taken:

8" Burr Oak	N 54 E	16 links	(10.56 feet)
7" Burr Oak	S 42 W	17 links	(11.22 feet)

The following were contacted for section corner information:

Freeborn & Mower County Engineering Department
Freeborn & Mower County Recorders Office

1990 Jones, Haugh & Smith crew along with the Freeborn County backhoe dug a hole 7'x20'x4' deep on centerline of north-south road and field division east. Found no evidence of public land survey corner. The W 1/4 corner was re-set on a straight line between NE and SE corners in line with fence to east. A cast iron monument was placed at corner.

This location fits occupation and road centerlines and is accepted as best evidence of the public land survey corner.

For electronic survey data and analysis contact the firm of Jones, Haugh & Smith Inc.

Index No. _____

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

W 1/4 Corner of Section 30, Township 104N, Range 18W, 5th P.M.

STATE OF MINNESOTA, County of MOWER


At the corner location shown on the sketch:

☐ On 9-17-90 (DATE) found a no evidence

☐ left monument as found, ☐ lowered monument, ☐ removed monument (explain)

☐ On 9-17-90 (DATE) placed a cast iron monument on straight line between NE & SE corners in line with fence to East.

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

_____ (SIGNATURE) 1-23-91 (DATE)

Registration No. 13807

☒ Land Surveyor, ☐ Professional Engineer

☒ County Surveyor, ☐ County Engineer

OFFICE OF THE COUNTY RECORDER

County of _____

I hereby certify that this document was filed in the County Rec. office at _____ .M. on the _____ day of _____ A.D., 19 ___

COUNTY RECORDER _____

By _____, Deputy

DOCUMENT NO. _____

M.H.D. FORM NO. 2105

STATEMENT OF EVIDENCE

W 1/4 corner Sec 30-104-18

This corner was originally established by Deputy Surveyor J.B. Reymen of the U.S. General Land Office in 1854. The government notes show this corner was marked with a wood post and the following ties were taken:

8" Burr Oak	N 54° E	16 links (10.56')
7" Burr Oak	S 42° W	17 links (11.22')

The following were contacted for section corner information:
Freeborn County Engineering Department
Freeborn County Recorder's Office

1990 Jones, Haugh & Smith crew along with the Freeborn County backhoe dug a hole 7'x20'x4' deep on centerline centerline of north-south road and field division east. Found no evidence of public land survey corner. Placed a cast iron monument on a straight line between NE & SE corners in line with fence to the east.

The corner placed fits occupation and road centerlines and is accepted as best evidence of the public land survey corner.

For electronic survey data and analysis contact firm of Jones, Haugh & Smith Inc.